

1905; Palmer's Glenn, N. Y., *J. Bishop*, 1909; Mt. Tryon (alt. 760 m.) Tenn., *E. Brainerd*, April 21, 1910.

3. ***Viola cucullata* × *triloba***, nom. nov., *V. cucullata* × *palmata* [var. *dilatata* authors not Ell.], RHODORA viii. 56 (March 1906).

4. ***Viola cucullata* × *palmata***, hyb. nov., not *V. cucullata* × *palmata* of RHODORA viii. 56.—Leaves nearly glabrous, broadly cordate-ovate, lobes as numerous as in *V. palmata*, but shorter; cleistogamous flowers intermediate in form to those of the parent species, on elongate ascending peduncles; auricles long, slightly setulose, sepals otherwise glabrous; capsule bearing few seeds.—East Lyme, Ct., *Miss A. M. Ryon*, Oct. 4, 1906.

5. ***Viola sagittata* × *triloba***, nom. nov., *V. palmata* [var. *dilatata* authors not Ell.] × *sagittata*, RHODORA viii. 54, except specimen last cited.

6. ***Viola palmata* × *sagittata*** hyb. nov., not *V. palmata* [var. *dilatata* authors not Ell.] × *sagittata*, RHODORA viii. 54.—Leaves ciliate and more or less pubescent, subcordate, with 6-8 acute slender lobes chiefly towards the base; capsules infertile.—Garrison's, N. Y., *Ed. S. Denton*, May, 1886 (characterized by Dr. Gray as "*V. palmata* towards *sagittata*"); Staten I., N. Y., *Philip Dowell* 4518 b, July 18, 1906; West Orange, N. J., *Philip Dowell* 4795, June 22, 1907.

MIDDLEBURY, VERMONT.

ARENARIA CAROLINIANA IN RHODE ISLAND.—Several plants of *Arenaria caroliniana* Walt. were found by the writer in the salt-marsh back of the sand-dunes at Weekapaug, Rhode Island, Sept. 1, 1912. They were growing on a slightly elevated, but dry, spot in the meadow and were confined to the one locality. Some of them were still in blossom on the 22nd of the month.

Through the kindness of Prof. Fernald, I am enabled to give the previously printed records (under the synonymous name *Arenaria squarrosa*) of this plant for New England, as follows:

"*Arenaria squarrosa* Michx. Torrey & Gray, i, 179.

In Block Island, Dr. Robbins, Sept., 1829."

Oakes in Hovey's Magazine, xiii, 218 (1847).

"*Arenaria squarrosa* Mchx., Robbins, 1829.

S. T. O." (Stephen T. Olney) in note on the rare plants of Block Island, in Bulletin Torrey Botanical Club, v, 38 (1874).

The above records seem to have been overlooked by all the manual-makers.

Specimens from Weekapaug have been placed in the Herbarium of the New England Botanical Club.—JOHN H. SAGE, Portland, Connecticut.